

RPM



**Veterans  
Administration**

November 8, 1990

100-100000-508/138  
In Reply, Refer To

Regional Administrator  
U.S. Environmental Protection Agency  
Region IV  
345 Courtland Street  
Atlanta, Georgia 30365

NOV 27 1990

SUBJ: Site Inspection Information for Revised Hazard  
Ranking System (HRS2)

1. Reference your letter of October 18, 1990, Site Inspection Information for Revised Hazard Ranking System (HRS2), 4WD-RCRA & FF; this facility was granted a conditionally exempt small quantity generator status by the Georgia Department of Natural Resources, Environmental Protection Division on April 5, 1988. The status was granted under the exclusions of 40 CFR, Part 261.5(g)(b). (See Attachment A.)
2. This medical center generates less than 100 kg/mo of hazardous wastes and was permitted by Georgia Environmental Protection Division to incinerate by a wastes solvent injection system on September 23, 1985. The wastes incineration permit was issued in accordance with the Georgia Air Quality Act of 1978 and the rules of Chapter 391-3-1. (See Attachment B.) Hazardous wastes are not stored by this facility.
3. RCRA Part A Permit Application was submitted to the Georgia Environmental Protection Division on December 31, 1981; subsequently, this medical center was granted EPA Identification Number GA7360015450. RCRA Part B Application was filed on September 30, 1982. Georgia Department of Natural Resources performed an on site assessment and investigation of the facility on June 29, 1984.
4. Parts 1 through 3 of the medical center's Preliminary Site Assessment, dated February 3, 1988, are included for your perusal along with documented correspondence between Nancy Redgate of your office and Charles James, of this facility, stating that additional enforcement information would not be required. (See Attachment C.) Correspondence of August 10, 1988 from your organization stated this facility's January 29, 1983, Potential Hazardous Waste Site Preliminary Assessment to have met the requirements under CERCLA for installations listed on the Federal Agency Hazardous Waste Compliance Docket. (See Attachment D.)




10450370

Page 2 - Site Inspection Information for Revised Hazard  
Ranking System (HRS2)

5. A site plan identifying the medical center's parking, building layout, boundaries and zoned area is provided for your files. (See Attachment E.)

6. This medical center was erroneously placed on the Federal Agency Hazardous Waste Compliance Docket during the early 1980's and is attempting to rectify this inclusion. The information provided should substitute the fact this medical center should not be placed on the National Priorities List under either Hazard Ranking Systems 1 or 2.

7. Please contact Mr. Robert C. Jaynes, Industrial Hygienist, (404) 321-6111, Extension 6115, for any additional information.

  
Glenn Alfred, Jr.  
Medical Center Director

Enclosures

cc: Land Protection Branch  
Industrial and Hazardous Waste  
Management Program  
Floyd Towers East, Room 1154  
205 Butler Street, S.E.  
Atlanta, GA 32301

Hazardous Materials Management Division (085E)  
Department of Veterans Affairs  
840 Vermont Avenue, N.W.  
Washington, DC 20420